

UNITED STATES PATENT AND TRADEMARK OFFICE
CERTIFICATE OF CORRECTION

PATENT NO. : 7,324,575 B2
APPLICATION NO. : 10/781590
DATED : January 29, 2008
INVENTOR(S) : Chen et al.

Page 1 of 3


It is certified that error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

Title Page

Item 56, References Cited, Foreign Patent Documents, change "10/1998" to --10/1989--

Drawings

Replace Figure 13 with the figure depicted below, wherein the axes have been labeled "Percent (%)" and "Temperature (C)"



Rectangular mirror

Figure 13


Signed and Sealed this

Twenty-third Day of November, 2010

David J. Kappos

David J. Kappos
Director of the United States Patent and Trademark Office

Replace Figure 14 with the figure depicted below, wherein the axes have been labeled “Percent (%)” and “Temperature (C)”



Annular mirror

Figure 14

Column 3

Line 67, change “lens” to --optical element--

Column 4

Line 31, change “flat” to --output--

Line 47, change “or (5) or any” to --or (6) any--

Column 5

Line 20, change “120'” to --120'--

Line 21, change “100'” to --100'--

Column 6

Line 28, change “or 325)” to --(or 325)--

Line 42, after “140”, add [(FIGS. 5 and 6)]

Line 50, after “110”, add [(FIG. 2)]

Line 51, after “140”, add [(FIGS. 5 and 6)]

Line 62, after “130”, add [(FIG. 1)]

Line 63, after “110”, add [(FIG. 1)]

Column 7

Line 5, after “110”, add [(FIG. 2)]

Line 7, after “140”, add [(FIG. 2)]

Line 8, after “125”, add [(FIG. 2)]

Line 9, after “140”, add [(FIG. 2)]

Line 14, after “input surface”, add [124]

Line 52, change “um, while other distances may be used.” to --um. Other distances may also be used.--

Column 9

Line 16, change “the reflective surface” to --the first and second reflective surfaces--

Column 10

Line 1, change “clam” to --claim--